

## Pure Collagen Peptides

Lot: C1001 - Tested: 15 July 2024 - Lab: Eurofins Food Testing UK Limited

Eurofins Certificate: **AR-24-UD-345574-01** · ISO 17025 (UKAS 0342)

<p><b>Quality Score</b></p> <h1>99.8</h1> <p>/ 100</p> <p><i>Excellent</i></p>	<p><b>Score Breakdown</b></p> <p>Active Ingredient Purity <span style="float: right;">Pending</span></p> <p>Heavy Metal Safety <span style="float: right;">34.9 / 35</span></p> <p>Microbial Safety <span style="float: right;">15.0 / 15</span></p>
--	--

### Active Ingredient Purity

Results pending - lab results for this test category have not been published yet.

### Heavy Metal Analysis

Analyte	Result (ppb)	Prop 65	EU EFSA	EPA Tap
Arsenic (As)	4	10000	3000	10000
Cadmium (Cd)	0.5	4100	1000	5000
Lead (Pb)	2.5	500	3000	15000
Mercury (Hg)	2.5	300	100	2000

All values in ppb (parts per billion). Lower is better. Limit columns show maximum allowed levels per standard.

### Microbial Safety

<p><b>E. coli</b></p> <p><b>Clear</b></p> <p>&lt; 10 cfu/g</p>	<p><b>E Coli Detect</b></p> <p><b>Clear</b></p> <p>Not Detected</p>	<p><b>Enterobacteriaceae</b></p> <p><b>Clear</b></p> <p>&lt; 10 cfu/g</p>
<p><b>Salmonella</b></p> <p><b>Clear</b></p> <p>Not Detected</p>	<p><b>Staph</b></p> <p><b>Clear</b></p> <p>&lt; 10 cfu/g</p>	<p><b>Total Aerobic Plate Count</b></p> <p><b>Clear</b></p> <p>&lt; 10 cfu/g</p>
<p><b>Yeast and Mould</b></p> <p><b>Clear</b></p> <p>&lt; 10 cfu/g</p>		

Scan to view online

